
MINOR SITE PLAN REVIEW PERMIT SET



APPROXIMATE LIMITS OF EXISTING WETLANDS

MAP 70 LOT 68
N/4 LANDS OF
TRIGIAN RICHARD W &
CATHERINE TRONZI
BK. 5770, PG. 0002

MAP 70 LOT 67
N/4 LANDS OF
ASHES HOWARD TT
BK. 3750, PG. 0349

MAP 70 LOT 109
N/4 LANDS OF
FERGUSON BRIAN BRENNAN &
HANNAH SAGAN TT
BK. 58231, PG. 36

MAP 70 LOT 72
N/4 LANDS OF
JONATHAN K & ERIN M. COGNETTI
BK. 37972, PG. 260

DEL PRETE DRIVE
(PRIVATE 40' WIDE R.O.W.)
(PER REF #4)

TWO WAY TRAFFIC
(ASPHALT PAVEMENT)

PAVEMENT DISTURBED IN ROW TO BE RESTORED PER HINGHAM DPW REQUIREMENTS

PROPOSED FENCE LINE TO TERMINATE HERE
PROPOSED LIMIT OF DISTURBANCE

PROPOSED RETAINING WALL
TW=266.85
BW=266.00

PROPOSED BITUMINOUS ASPHALT DRIVEWAY

PROPOSED 5' WIDE BRICK PAVED WALKWAY

PROPOSED 2 1/2 STORY HOUSE
AREA=420 S.F.
FTT=268.5

PROPOSED 1 1/2 STORY HOUSE
AREA=228 S.F.
FTT=228.0

PROPOSED COVERED PATIO
AREA=228 S.F.
FTT=228.0

PROPOSED 3' X 4.5' CONCRETE GENERATOR PAD

PROPOSED STEPS

PROPOSED RETAINING WALL
TW=266.0
BW=266.0

MAP 70 LOT 73
N/4 LANDS OF
MARY E. HERBERT GIBSON &
ELIZABETH K. GIBSON
BK. 11952, PG. 71

MAP 70 LOT 73
N/4 LANDS OF
THOMAS PATRICK
BK. 45445, PG. 92

PERMIT SET
NOT FOR CONSTRUCTION

SCALE IN FEET
0 20 40

LEGEND

	EXISTING SUBJECT PROPERTY LINE
	EXISTING WETLAND LINE
	EXISTING FENCE LINE
	EXISTING CURB
	EXISTING EDGE OF PAVEMENT
	EXISTING STRUCTURE
	EXISTING UTILITY POLE
	EXISTING DECIDUOUS TREE
	PROPOSED EDGE OF PAVED DRIVE
	PROPOSED ASPHALT PAVEMENT
	PROPOSED CONCRETE
	PROPOSED BRICK PAVERS
	PROPOSED BUILDING OVERHANG
	PROPOSED FENCE
	PROPOSED ENTRANCE
	PROPOSED OVERHEAD DOOR

NOTE

1. APPROXIMATE LIMIT OF EXISTING WETLANDS BASE ON PUBLICLY AVAILABLE GIS DATA DOWNLOADED FROM MASSMAPPER -- DEP WETLANDS SHAPE FILE FOR PROJECT AREA, ACCESSED 12/3/2025.

REVISION RECORD

NO.	DATE	DESCRIPTION

2 Corporation Way
Suite 190
Peabody, MA 01960
Ph: 774.501.2176
www.cceinc.com



SINGLE FAMILY HOME REDEVELOPMENT
4 DEL PRETE DRIVE
HINGHAM, MASSACHUSETTS

SITE CONTEXT PLAN


DATE	JANUARY 28, 2026	DRAWN BY	
DWG. NO.		CHECKED BY	
PROJECT NO.			
PROJECT SCALE	1" = 20'		
PROPOSED BY			



DRAWING NO. **C002**
SHEET 2 OF 8










NORTH



PLANT SCHEDULE						
SYMBOL	CODE	QTY	BOTANICAL / COMMON NAME	CONTAINER	CALIPER	HEIGHT
TREES						
AG	3	AMELANCHIER X GRANDIFLORA 'AUTUMN BRILLIANCE'	B&B	CLUMP FORM	6\" - 8\" HT	
JE2	7	JUNIPERUS VIRGINIANA 'CORCORCRO'	B&B		6\" - 7\" HT.	
TO	3	TRILIHA STENDISHI X PLICATA 'GREEN GIANT'	B&B		6\" HT.	
SHRUBS						
CK2	6	CORNUS SERICEA 'NELSEY'	5 GAL.	18\"-24\" HT.		
HF	3	HOSTA X 'FRANCES WILLIAMS'	1 GAL.	2\" O.C.		
HS	8	HOSTA X 'SUM AND SUBSTANCE'	1 GAL.	2\" O.C.		
HY	6	HYDRANGEA MACROPHYLLA 'HORTMAN'	NO. 3 CONT.	4\" O.C.		
HL2	6	HYDRANGEA MACROPHYLLA 'HORTMAN'	NO. 5 CONT.	4\" O.C.		
HH2	7	HYPERICUM PATULUM 'HIDCOTE'	NO. 5 CONT.	4\" O.C.		
IR	3	ILEX VERTICILLATA 'RED SPIRIT'	5 GAL.	36\" MIN.		
IC	4	IRIS SIBIRICA 'CAESAR'S BROTHER'	1 GAL.	2\" O.C.		
GROUND COVERS						
SM	49 SF	STONE MULCH				
		SANDWICH RIVER ROCK				

- GENERAL LANDSCAPE NOTES:**
1. ALL CONSTRUCTION METHODS AND MATERIALS MUST CONFORM TO CURRENT STANDARDS AND SPECIFICATIONS OF THE FEDERAL, STATE, COUNTY, CITY, OR LOCAL REQUIREMENTS, WHICHEVER HAS JURISDICTION.
 2. CONTRACTOR SHALL REQUEST UTILITY LOCATIONS PRIOR TO COMMENCEMENT OF WORK. VERIFY ALL EXISTING UTILITIES AND CONDITIONS PRIOR TO ANY EXCAVATION AT LEAST 72 HOURS PRIOR TO LANDSCAPE INSTALLATION.
 3. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND ELEVATIONS DURING THE FIELD PRIOR TO THE START OF CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL FIELD DIMENSIONS AND ELEVATIONS. IF ANY DISCREPANCIES ARE FOUND IN THESE PLANS FROM ACTUAL FIELD DIMENSIONS, THE CONTRACTOR SHALL CONTACT THE ENGINEER IMMEDIATELY.
 4. CONTRACTOR SHALL MAINTAIN ONE SET OF AS-BUILT/RECORD DRAWINGS ON THE JOB SITE DURING CONSTRUCTION FOR DISTRIBUTION TO THE OWNER AND/OR OWNER'S REPRESENTATIVE UPON COMPLETION.
 5. NO CHANGES TO THE SITE LANDSCAPE LAYOUT ARE ALLOWED WITHOUT THE WRITTEN APPROVAL OF THE LANDSCAPE ARCHITECT.
 6. CONTRACTOR SHALL SUPPLY ALL PLANT MATERIALS IN QUALITY AND QUANTITIES SUFFICIENT TO COMPLETE THE PLANTING AS SHOWN ON DRAWINGS. PLANT MATERIAL DELIVERED TO SITE SHALL BE STORED IN SECURE LOCATION NOT IN CONFLICT WITH OTHER CONSTRUCTION OPERATIONS AND MAINTAINED UNTIL TIME OF INSTALLATION.
 7. ALL MATERIAL SHALL CONFORM TO THE GUIDELINES ESTABLISHED BY THE CURRENT "AMERICAN ASSOCIATION OF NURSERY STOCK AND 260.1-2004", PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN.
 8. NO PLANT SHALL BE PUT INTO THE GROUND BEFORE ROUGH GRADING HAS BEEN FINISHED AND APPROVED.
 9. ALL PLANTS SHALL BE PLANTED SO THAT THE ROOT CROWN IS PLANTED AT GRADE LEVEL.
 10. ALL PLANTS SHALL BE BALLED AND WRAPPED OR CONTAINER GROWN AS SPECIFIED. NO CONTAINER GROWN STOCK WILL BE ACCEPTED IF IT IS ROOT BOUND. ALL ROOT WRAPPING MATERIAL MADE OF SYNTHETICS OR PLASTICS SHALL BE REMOVED AT THE TIME OF PLANTING. TWINE OR ROPE SHALL BE REMOVED FROM AROUND CROWN OF TRUNK TO PREVENT GIRDLING OF TREE OR SHRUB.
 11. WITH CONTAINER GROWN STOCK, THE CONTAINER SHALL BE REMOVED AND THE CONTAINER BALL SHALL BE CUT THROUGH THE SURFACE IN 25 VERTICAL LOCATIONS.
 12. CONTRACTOR TO REMOVE ALL LANDSCAPE DEBRIS FROM PLANTING OPERATIONS FROM THE PROJECT SITE. NO OPEN BURNING SHALL BE PERMITTED ON SITE.
 13. THE DAY PRIOR TO PLANTING, THE LOCATIONS OF ALL TREES AND SHRUBS SHALL BE STAKED AND PLANTING BEDLINE OUTLINES DEFINED FOR APPROVAL BY OWNERS.
 14. THE LANDSCAPE CONTRACTOR SHALL REFER TO CONTRACT SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.
 15. THE LANDSCAPE CONTRACTOR SHALL GUARANTEE NEW PLANT MATERIAL FOR THE FIRST FULL GROWING YEAR FROM THE TIME OF YEAR FROM THE COMPLETION OF PROJECT. AT THE END OF THIS PERIOD, ANY PLANT MATERIAL DEER OR UNDESIRABLE ANIMAL DAMAGE SHALL BE REPLACED AT NO ADDITIONAL COST TO OWNER.
 16. IF THERE IS A DISCREPANCY BETWEEN THE PLANS AND THE PLANT SCHEDULE, THE PLANS SHALL TAKE PRECEDENCE.
 17. CONTRACTOR SHALL REPAIR ANY DAMAGE TO PROPERTY FROM PLANTING OPERATIONS AT NO COST TO OWNER.
 18. STAKES AND OR GUY WIRES SHALL BE REMOVED AFTER ONE (1) YEAR OF INSTALLATION.
 19. ALL EXISTING LANDSCAPING SHALL BE MAINTAINED DURING CONSTRUCTION. ANY MATERIAL DEEMED DEAD OR UNSATISFACTORY BY LANDSCAPE ARCHITECT, WILL BE REPLACED EQUIVALENT AT NO COST TO OWNER.
 20. IF PLANT SPECIES SPECIFIED ARE FOUND TO BE UNAVAILABLE OR NOT IN SUFFICIENT QUANTITIES AT THE TIME OF PLANTING, THE CONTRACTOR MAY SUBSTITUTE SPECIES UPON WRITTEN APPROVAL BY LANDSCAPE ARCHITECT.
 21. LANDSCAPING SHALL BE SUBSTANTIALLY INSTALLED PRIOR TO THE ISSUANCE OF OCCUPANCY PERMIT FOR THE PRINCIPAL STRUCTURE ON LOT. WEATHER PERMITTING, OR, IN THE EVENT OF ADVERSE WEATHER CONDITIONS, WITHIN NINETY (90) DAYS FOLLOWING THE COMMENCEMENT OF THE BEST OF TREE SUCCESSIVE PLANTING SEASON FOLLOWING ISSUANCE OF OCCUPANCY PERMIT.
 22. ALL LANDSCAPE PLANTINGS TO BE MAINTAINED BY CONTRACTOR FOR 60 DAYS FOLLOWING FINAL INSPECTION BY LANDSCAPE ARCHITECT. MAINTENANCE TO INCLUDE WATERING, WEED REMOVAL, MULCHING, MOWING AND ALL OTHER NECESSARY OPERATIONS REQUIRED FOR PROPER ESTABLISHMENT OF PLANTINGS AND TURF AREAS.



- REFERENCES**
1. EXISTING SITE INFORMATION/TOPOGRAPHIC SURVEY WAS PERFORMED BY CONTROL POINT ASSOCIATES, INC. AS SHOWN ON PLAN ENTITLED "BOUNDARY, TOPOGRAPHIC & UTILITY SURVEY" DATED JUNE 6, 2025.
- NOTES**
1. THE SUBJECT PROPERTY IS LOCATED IN "OTHER AREAS" FLOOD "ZONE X" (AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN) BASED ON THE FLOOD INSURANCE RATE MAP, MAP NO. 2202C0002, WITH A MAP REVISED DATE OF JULY 3, 2024.
 2. THE CONTRACTOR SHALL VERIFY LOCATION AND ELEVATION OF ALL EXISTING UTILITIES (INCLUDING THOSE LABELED PER RECORD DATA) PRIOR TO BEGINNING OF CONSTRUCTION OR EARTH MOVING OPERATIONS. INFORM ENGINEER AND CITY OF QUINCY OF ANY CONFLICTS DETERMINED TO THE DESIGN INTENT.
 3. REFER TO SHEET C001 FOR ADDITIONAL NOTES.

- PLANTING SOIL PREPARATION NOTES:**
1. BEFORE MOING, CLEAN TOPSOIL OF ROOTS, PLANTS, SODS, STONES, CLAY LUMPS, AND OTHER EXTRANEIOUS MATERIALS HARMFUL TO PLANT GROWTH.
 2. MIX SOIL AMENDMENTS AS SPECIFIED ON PLANTING DETAILS. MIX FERTILIZERS WITH TOPSOIL AT RATES INDICATED. SEAL MOUND FERTILIZER BY PLANTING DOES NOT FOLLOW PLACING OF PLANTING SOIL WITHIN A FEW DAYS.
 3. FOR TREE PIT OR TROUGH BACKFILL, MIX PLANTING SOIL BEFORE BACKFILLING AND STOCKPILE AT SITE. PROVIDE SPECIFIED FERTILIZER AT A RATE OF:
SHADE TREE: 2 POUNDS PER INCH OF CALIPER
SMALL TREE: 1 POUND PER INCH OF CALIPER
 4. FOR PLANTING BEDS, MIX PLANTING SOIL EITHER PRIOR TO PLANTING OR APPLY ON SURFACE OF TOPSOIL AND MIX THOROUGHLY BEFORE PLANTING. APPLY SPECIFIED COMMERCIAL FERTILIZER AT RATES AND THOROUGHLY MIX INTO UPPER 2\"/>

PERMIT SET
NOT FOR CONSTRUCTION



2 Corporation Way
Suite 190
Peabody, MA 01960
Ph: 774.501.2176
www.cccinc.com


CCC
Civil & Environmental
Consultants, Inc.

SINGLE FAMILY HOME REDEVELOPMENT
4 DEL PRETE DRIVE
HINGHAM, MASSACHUSETTS

LANDSCAPE PLAN
DATE: JANUARY 26, 2025 DRAWN BY: MKP
SCALE: 1/4\"/>



PROJECT NO.: 2202C0002
APPROVED BY: [Signature]

DRAWING NO.: **C700**
SHEET 6 OF 8




TREE PROTECTION FENCE
N.T.S.

- CONSTRUCTION NOTES**
1. INSTALL TREE PROTECTION FENCE AT THE DRIP LINE OF EXISTING TREES TO REMAIN
 2. IF DRIP LINES OVERLAP, INSTALL CONTINUOUS PROTECTION FENCE FOR MULTIPLE EXISTING TREE TO REMAIN.




- NOTES**
1. ANCHOR TO BE A 2" x 2" x 36" HARD WOOD STAKE, OR APPROVED EQUAL.
 2. COMPOST FOR SILT SOCK FILL MATERIAL TO BE PROVIDED BY THE MANUFACTURER IN CONJUNCTION WITH THE ENGINEER TO PROVIDE THE REQUIRED REMOVAL OF SEDIMENT OR OTHER POLLUTANTS FROM RUNOFF.
 3. COMPOST MATERIAL SHALL BE DISPERSED ON SITE, AS DETERMINED BY THE LOCAL CONSERVATION AGENT OR THE DESIGN ENGINEER.
 4. SILT SOCK SHALL BE INSPECTED PER LOCAL AND STATE REQUIREMENTS. REPAIR OR REPLACEMENT SHALL BE PERFORMED PROMPTLY, AS NEEDED.
 5. METHOD OF INSTALLATION SHALL BE AS PER MANUFACTURER'S RECOMMENDATIONS.

SILT SOCK EROSION CONTROL BARRIER
N.T.S.




- NOTES**
1. FENCE TO BE INSTALLED PER MANUFACTURER'S RECOMMENDATIONS.
 2. POSTS SHALL MAINTAIN A MINIMUM DEPTH OF 2'-6" IN GROUND AND SHALL NOT BE RACKED TO ACCOMMODATE CHANGES IN GRADE.
 3. LINE OF FENCE TOP AND BOTTOM SHALL BE INSTALLED STRAIGHT AND TRUE. POSTS AND PICKETS SHALL BE INSTALLED PARALLEL AND FLUMB. WALLS SHALL BE INSTALLED PARALLEL TO GROUND SURFACE AND EACH OTHER.

6" VINYL PRIVACY FENCE
N.T.S.




- NOTES**
1. PAVEMENT SECTIONS ARE PRELIMINARY AND ARE SUBJECT TO CHANGE BASED ON THE RESULTS OF GEOTECHNICAL INVESTIGATIONS. FINAL PAVEMENT SECTION SHALL CONFORM WITH GEOTECHNICAL RECOMMENDATIONS.

BITUMINOUS CONCRETE PAVEMENT
N.T.S.




DETAIL - BRICK PAVER W/ EDGE RESTRAINT DETAIL
NOT TO SCALE




- CONSTRUCTION NOTES**
1. INFILTRATION TRENCH SHALL BE 18" WIDE X 18" DEEP.
 2. FILL IN TRENCH WITH 3/4" AGGREGATE AND FILTER FABRIC WITH DRAINAGE COMPOSITE OR AGGREGATE BACK DRAIN SYSTEM.

INFILTRATION TRENCH
N.T.S.



- CONSTRUCTION NOTES**
1. WHERE UTILITY TRENCHES ARE CONSTRUCTED THROUGH DETENTION BASIN BERMS OR OTHER SUCH SPECIAL SECTIONS, PLACE TRENCH BACKFILL WITH MATERIALS SIMILAR TO THE SPECIAL SECTION REQUIREMENTS.
 2. USE METALLIC TRACING/WARNING TAPE OVER ALL PIPES.
 3. FOR HIGH DENSITY POLYETHYLENE (HDPE) PIPE, DIMENSION IS 24 INCHES.
 4. THIS DETAIL IS TO BE USED FOR ALL PROPOSED UTILITIES.

UTILITY TRENCH
N.T.S.



- NOTES:**
1. WHEN SITE CONDITIONS REQUIRE, WRAP DRAINAGE TILE IN 3/4" AGGREGATE AND FILTER FABRIC WITH DRAINAGE COMPOSITE OR AGGREGATE BACK DRAIN SYSTEM, AS DIRECTED BY GEOTECHNICAL ENGINEER.
 2. SEE DETAILED WALL DESIGN DOCUMENTATION
 3. FINAL COLOR TO BE APPROVED BY OWNER AND TO COMPLEMENT BUILDING FACADE.
 4. CONTRACTOR RESPONSIBLE FOR FINAL RETAINING WALL DESIGN.

TYPICAL SEGMENTAL RETAINING WALL
N.T.S.

PERMIT SET
NOT FOR CONSTRUCTION



NO.	DATE	DESCRIPTION

2 Corporation Way
Suite 160
Peabody, MA 01960
Ph: 774.501.2176
www.ccecinc.com



SINGLE FAMILY HOME REDEVELOPMENT
4 DEL PRETE DRIVE
HINGHAM, MASSACHUSETTS

DETAIL SHEET	
DATE:	JANUARY 28, 2020
DWG SCALE:	AS SHOWN
PROJECT NO.:	386-812
DRAWN BY:	ASH
CHECKED BY:	MB
APPROVED BY:	MB

DRAWING NO. **C800**
SHEET 7 OF 8

CULTEC RECHARGER 280HD SPECIFICATIONS

GENERAL:
CULTEC RECHARGER 280HD CHAMBERS ARE DESIGNED FOR UNDERGROUND STORMWATER MANAGEMENT. THE CHAMBERS MAY BE USED FOR RETENTION, STORAGE, DETENTION OR CONTROLLING THE FLOW OF ON-SITE STORMWATER RUNOFF.

CHAMBER PARAMETERS



- 1. THE CHAMBERS WILL BE MANUFACTURED BY CULTEC OF BROOKFIELD, CT. (203-775-4416 OR 1-800-438-3832)
2. THE CHAMBER SHALL BE VACUUM THERMOFORMED OF HIGH MOLECULAR WEIGHT HIGH DENSITY POLYETHYLENE (HDPE) WITH A BLACK ANTI-STATIC AND BLUE-GLASS SURFACE.
3. THE CHAMBER WILL BE ARCHED IN SHAPE.
4. THE CHAMBER WILL BE OPEN-BOTTOMMED.
5. THE CHAMBER WILL BE JOINED USING AN INTERLOCKING OVERLAPPING RIB METHOD. CONNECTIONS MUST BE FULLY PENETRATED BY OVERLAPPING RIBS. WELDS ARE NOT SEPARATE COUPLINGS OR SEPARATE END WALLS.
6. THE NOMINAL CHAMBER DIMENSIONS OF THE CULTEC RECHARGER 280HD SHALL BE 30.5 INCHES (875 MM) TALL, 47 INCHES (1193 MM) WIDE AND 8 FEET 2.4 INCHES (249.1 CM) LONG. THE INSTALLED LENGTH OF A JOINED RECHARGER 280HD SHALL BE FEET 2 (2.134).

CULTEC HLV-F24 FEED CONNECTOR PRODUCT SPECIFICATIONS

GENERAL:
CULTEC HLV-F24 FEED CONNECTOR UNITS ARE DESIGNED TO BE INSTALLED MANUALLY FOR CULTEC RECHARGER 280HD CONNECTIONS.



CHAMBER PARAMETERS

- 1. THE CHAMBER SHALL BE MANUFACTURED BY CULTEC OF BROOKFIELD, CT. (203-775-4416 OR 1-800-438-3832)
2. THE CHAMBER SHALL BE VACUUM THERMOFORMED OF HIGH MOLECULAR WEIGHT HIGH DENSITY POLYETHYLENE (HDPE) WITH A BLACK ANTI-STATIC AND BLUE-GLASS SURFACE.
3. THE CHAMBER WILL BE ARCHED IN SHAPE.
4. THE CHAMBER WILL BE OPEN-BOTTOMMED.
5. THE CHAMBER WILL BE JOINED USING AN INTERLOCKING OVERLAPPING RIB METHOD. CONNECTIONS MUST BE FULLY PENETRATED BY OVERLAPPING RIBS. WELDS ARE NOT SEPARATE COUPLINGS OR SEPARATE END WALLS.
6. THE NOMINAL CHAMBER DIMENSIONS OF THE CULTEC HLV-F24 FEED CONNECTOR SHALL BE 18 INCHES (457 MM) TALL, 16 INCHES (406 MM) WIDE AND 12 INCHES (305 MM) LONG. THE INSTALLED LENGTH OF A JOINED RECHARGER 280HD SHALL BE FEET 2 (2.134).




CULTEC UNIVERSAL INSPECTION PORT KIT DETAIL


CULTEC RECHARGER 280HD HEAVY DUTY END DETAIL INFORMATION




GENERAL NOTES



CULTEC RECHARGER 280HD CROSS SECTION



CULTEC RECHARGER 280HD HEAVY DUTY TYPICAL INTERLOCK



CULTEC RECHARGER 280HD HEAVY DUTY TYPICAL INTERLOCK




Table with project information: PROJECT NO., DATE (11/20/25), CHECKED BY (DPG), SHEET NO. (1 OF 1), DESIGNED BY (TECH), SCALE (N.T.S.).

Table with revision record: NO., DATE, DESCRIPTION.

CULTEC Stormwater Management Systems
875 Freepal Road
Brookfield, CT 06804
www.cultec.com

31 Bellows Road
Raynham, MA 02767
Ph: 774.501.2176
www.cceinc.com

CEC
Civil & Environmental
Consultants, Inc.

SINGLE FAMILY HOME REDEVELOPMENT
4 DEL PRETE DRIVE
HINGHAM, MASSACHUSETTS

Table with project details: DATE (JANUARY 28, 2026), DRAWN BY (AMF), PROJECT NO. (24-00000000-00000000), SHEET NO. (306-312), CHECKED BY (AS SHOWN), APPROVED BY (DPG).

PERMIT SET
NOT FOR CONSTRUCTION



MECHANICAL ENGINEER
MICHAEL BROCMAN
LICENSE NO. 96629
STATE OF MASSACHUSETTS

DRAWING NO. C801 SHEET 6 OF 8